

VERSIONE
STANDARD

- Acciaio
- Manopole nere





MODELLO
CODICE
VOLTAGGIO

VALCHIRIA Leva 1 GR
JMVA1LN
220V

VALCHIRIA Leva 2 GR
JMVA2LN
220 V/ 380V

VALCHIRIA Leva 3 GR
JMVA3LN
220V / 380V

GRUPPI	1 gruppo	2 gruppi	3 gruppi
Finitura	inox	inox	inox
Controllo temperatura	pressostato	pressostato	pressostato
Capacità caldaia	5 Lt	12 Lt	18 Lt
Potenza	1750W	3000/3500W	4500W
Risp. Energetico/Cons.	no	si - 1000/1160W	si - 1500W
Regolatore di livello	automatico + manuale	automatico + manuale	automatico + manuale
Indicatore di livello	a vista con vetro livello	a vista con vetro livello	a vista con vetro livello
Carico manuale	Sì (con attivazione del motore se presente)	Sì (con attivazione del motore se presente)	Sì (con attivazione del motore se presente)
Manometro	pressione caldaia 0/3	pressione caldaia 0/3	pressione caldaia 0/3
Valvola di sicurezza	certificata	certificata	certificata
Rubinetti	rotativi/joystick/joystick con blocco	rotativi/joystick/joystick con blocco	rotativi/joystick/joystick con blocco
Lancia acqua	1 - inox	1 - inox	1 - inox
Lancia vapore	1 - inox could touch	2 - inox could touch	2 - inox could touch
Scaldatazze acqua e vapore	carico e scarico automatico	carico e scarico automatico	carico e scarico automatico
Peso	52 kg	70 kg	87 kg
Misura	58x56x83	82x56x83	106x56x83
Misure ridotte (con leva e piedino bassi)	58x56x81	82x56x81	106x56x81
Scaldatazze vapore	incluso	incluso	incluso
Secondo ripiano	su richiesta	su richiesta	su richiesta
Kit manopole in legno 	su richiesta	su richiesta	su richiesta
Kit manopole bianche o rosse  	su richiesta	su richiesta	su richiesta
Motore pompa	su richiesta interno/esterno	su richiesta interno/esterno	su richiesta interno/esterno
Scaldatazze elettrico	non disponibile	su richiesta	su richiesta
Impianto a gas singolo/doppio bruciatore	su richiesta	su richiesta	su richiesta

VERSIONE
STANDARD

- Acciaio
- Manopole nere



MODELLO
CODICE
VOLTAGGIO

VALCHIRIA Leva 4 GR
JMVA4LN
380V

VALCHIRIA Leva 5 GR
JMVA5LN
380V

VALCHIRIA Leva 6 GR
JMVA6LN
380V

GRUPPI	4 gruppi	5 gruppi	6 gruppi
Finitura	inox	inox	inox
Controllo temperatura	pressostato	pressostato	pressostato
Capacità caldaia	24 Lt	30 Lt	36 Lt
Potenza	6000W	6500/7000W	9000W (4500W+4500W)
Risp. Energetico/Cons.	si - 2000W	si - 2160/2330W	si - 3000W (1500W+1500W)
Regolatore di livello	automatico	automatico	automatico
Indicatore di livello	a vista con vetro livello	a vista con vetro livello	a vista con vetro livello
Carico manuale	Sì (con attivazione del motore se presente)	Sì (con attivazione del motore se presente)	Sì (con attivazione del motore se presente)
Manometro	pressione caldaia 0/3	pressione caldaia 0/3	pressione caldaia 0/3
Valvola di sicurezza	certificata	certificata	certificata
Rubinetti	rotativi/joystick/joystick con blocco	rotativi/joystick/joystick con blocco	rotativi/joystick/joystick con blocco
Lancia acqua	1 - inox	1 - inox	2 - inox
Lancia vapore	2 - inox could touch	2 - inox could touch	2 - inox could touch
Scaldatazze acqua e vapore	carico e scarico automatico	carico e scarico automatico	carico e scarico automatico
Peso	105 kg	122 kg	188 kg
Misura	130x56x85	154x56x83	179x56x83
Misure ridotte (con leva e piedino bassi)	130x56x81	154x56x81	179x56x81
Scaldatazze vapore	incluso	incluso	incluso
Secondo ripiano	su richiesta	su richiesta	su richiesta
Kit manopole in legno 	su richiesta	su richiesta	su richiesta
Kit manopole bianche o rosse  	su richiesta	su richiesta	su richiesta
Motore pompa	su richiesta interno/esterno	su richiesta interno/esterno	su richiesta interno/esterno
Scaldatazze elettrico	su richiesta	su richiesta	su richiesta
Impianto a gas singolo/doppio bruciatore	su richiesta	su richiesta	su richiesta

STANDARD
VERSION

- Steel
 Black knobs

MODEL
CODE
VOLTAGE

VALCHIRIA Leva 1 GR
JMVA1LN
220V

VALCHIRIA Leva 2 GR
JMVA2LN
220 V/ 380V

VALCHIRIA Leva 3 GR
JMVA3LN
220V / 380V

COFFEE GROUPS

1 group

2 groups

3 groups

Finishing

stainless steel

stainless steel

stainless steel

Temperature control

pressure switch

pressure switch

pressure switch

Boiler capacity

5 Lt

12 Lt

18 Lt

Power

1750W

3000/3500W

4500W

Energy saving

no

yes - 1000/1160W

yes - 1500W

Control unit

automatic + manual

automatic + manual

automatic + manual

Level indicator

glass level indicator

glass level indicator

glass level indicator

Manual loading

yes (via motor, if included)

yes (via motor, if included)

yes (via motor, if included)

Pressure gauge

boiler pressure 0/3

boiler pressure 0/3

boiler pressure 0/3

Safety valve

certified

certified

certified

Taps

rotary/joystick/joystick with lock

rotary/joystick/joystick with lock

rotary/joystick/joystick with lock

Water wands

1 - stainless steel

1 - stainless steel

1 - stainless steel

Steam wands

1 - stainless steel cold touch

2 - stainless steel cold touch

2 - stainless steel cold touch

Water and steam cup warmer

automatic loading and drainage

automatic loading and drainage

automatic loading and drainage

Weight

52 kg

70 kg

87 kg

Size

58x56x83

82x56x83

106x56x83

Reduced size (with short levers and feet)

58x56x81

82x56x81

106x56x81

Steam cupwarmer

included

included

included

Second shelf

upon request

upon request

upon request

Wooden knobs kit



upon request

upon request

upon request

White and red knobs kit



upon request

upon request

upon request

Pump

on internal/external request

on internal/external request

on internal/external request

Electrical cup warmer

unavailable

upon request

upon request

Gas heating - single or double burner

upon request

upon request

upon request

STANDARD
VERSION

- Steel
 Black knobs

MODEL
CODE
VOLTAGE

VALCHIRIA Leva 4 GR
JMVA4LN
380V

VALCHIRIA Leva 5 GR
JMVA5LN
380V

VALCHIRIA Leva 6 GR
JMVA6LN
380V

COFFEE GROUPS

4 groups

5 groups

6 groups

Finishing

stainless steel

stainless steel

stainless steel

Temperature control

pressure switch

pressure switch

pressure switch

Boiler capacity

24 Lt

30 Lt

36 Lt

Power

6000W

6500/7000W

9000W (4500W+4500W)

Energy saving

yes - 2000W

yes - 2160/2330W

yes - 3000W (1500W+1500W)

Control unit

automatic

automatic

automatic

Level indicator

glass level indicator

glass level indicator

glass level indicator

Manual loading

yes (via motor, if included)

yes (via motor, if included)

yes (via motor, if included)

Pressure gauge

boiler pressure 0/3

boiler pressure 0/3

boiler pressure 0/3

Safety valve

certified

certified

certified

Taps

rotary/joystick/joystick with lock

rotary/joystick/joystick with lock

rotary/joystick/joystick with lock

Water wands

1 - stainless steel

1 - stainless steel

2 - stainless steel

Steam wands

2 - stainless steel cold touch

2 - stainless steel cold touch

2 - stainless steel cold touch

Water and steam cup warmer

automatic loading and drainage

automatic loading and drainage

automatic loading and drainage

Weight

105 kg

122 kg

188 kg

Size

130x56x85

154x56x83

179x56x83

Reduced size (with short levers and feet)

130x56x81

154x56x81

179x56x81

Steam cupwarmer

included

included

included

Second shelf

upon request

upon request

upon request

Wooden knobs kit



upon request

upon request

upon request

White and red knobs kit



upon request

upon request

upon request

Pump

on internal/external request

on internal/external request

on internal/external request

Electrical cup warmer

upon request

upon request

upon request

Gas heating - single or double burner

upon request

upon request

upon request